

SUMMER SAVINGS

Haldex
ORIGINAL PARTS

SAF Holland
ORIGINAL PARTS

TIMKEN **WALKER**

National
Oil Seals

 **HENDRICKSON**
The World Rides On Us

Fairview

dixie

Parker

FEATURING:

- STARTERS & ALTERNATORS
- EXHAUST
- A/C ACCESSORIES
- WHEEL BEARINGS
- SUSPENSION
- ABS & AIRLINES
- BRAKES & AIR SYSTEMS

STRAPS

FROM

13²⁵



Flat Hook, 4" x 30' FT423021	13.25
D-Ring, 4" x 30' FT423010	16.95
Chain & Grab Hook, 3" x 30' FT323040	21.95

WHEELS

FROM

96⁹⁵



22.5" x 8.25", Polished Aluminum FTAW225P	242.95
24.5" x 8.25", Polished Aluminum FTAW245P	275.95
22.5" x 8.25", White Steel FTSW225	96.95
24.5" x 8.25", White Steel FTSW245	110.95

AIR SPRINGS

FROM

101⁹⁵



Trailer, Hendrickson AS8774P	147.95
Trailer, Hendrickson AS9646P	136.95
Trailer, Hendrickson AS8755P	138.95
Truck, Kenworth AS9422P	101.95

AIR TANKS

FROM

132⁹⁵




9.5" Dia, 27.5" Len, 1 x 3/4" Port FT9500	132.95
9.5" Dia, 27.5" Len, 2 x 3/4" Ports (1 x rear) FT9508	139.95
9.5" Dia, 27.5" Len, 2 x 3/4" Ports (1 x rear) FT95156	140.95
12.25" Dia, 29.5" Len, 1 x 3/4" Port FT1200	160.95
12.25" Dia, 29.5" Len, 2 x 3/4" Ports (1 x Rear) FT1205	176.95
12.25" Dia, 29.5" Len, 2 x 3/4" Ports FT1229	180.95

SPRING BRAKES

FROM

44⁹⁵



30/30, Standard Stroke FT3030	44.95
30/30, Long Stroke FT3030L	45.95

SLACK ADJUSTERS

FROM

26⁹⁵



Auto, 1.5", 28 SPL, 5.5" Arm, Bendix Style FT043197	69.95
Auto, 1.5", 28 SPL, 5.5" Arm, Meritor Style FT801073	69.95
Auto, 1.5", 28 SPL, 6" Arm, Meritor Style FT801074	69.95
Auto, 1.5", 28 SPL, 6" Arm, Gunitite Style FT1140	69.95
Auto, 1.5", 28 SPL, 6" Arm, Gunitite Style FT1141	69.95
Auto, 1.5", 28 SPL, 5.5" Arm, Haldex Style FT10211	69.95
Auto, 1.5", 28 SPL, 6" Arm, Haldex Style FT10212	69.95
Auto, 1.5", 10 SPL, 6" Arm, Haldex Style FT10216	69.95
SABA, 1.5", 28 SPL, 5.5" Arm, Haldex Style FT20211	69.95
SABA, 1.5", 28 SPL, 6" Arm, Haldex Style FT20212	69.95
Manual, 1.5", 10 SPL, 5.5" or 6.5" Arm FT47011	26.95

STAINLESS STEEL TORCTITE EXHAUST CLAMPS



4" Lap Joint **33224**
5" Lap Joint **33225**

EACH

13⁵⁰

MUFFLER



5" Inlet, 5" Outlet, 10" Diameter, 44" Body **22920**

EACH

147⁹⁵

ALUMINIZED EXHAUST ELBOWS



• O.D.-I.D Style

4" Dia, 45°, 8" Radius, 9.25" arms **42758** **57.95**
5" Dia, 45°, 10" Radius, 12" arms **42453** **84.95**
5" Dia, 90°, 10" Radius, 18" arms **42938** **138.95**
5" Dia, 90°, 6" Radius, 8.5" arms **41769** **72.95**

FROM

57⁹⁵

SPLITTER TEE ADAPTER



5" ID, 5" OD, 24.75" x 15" **40364**

EACH

262⁹⁵

STRAIGHT TUBING



• 16 GA Aluminized Steel
• Other sizes Available

4" Diameter, 10 ft L **49099**

PER/FOOT

9⁹⁵

EXHAUST RESONATOR



5" Inlet, 5" Outlet, 9" Dia, 12" Body **21835**

EACH

123⁹⁵

CHROME STACK PIPES



5" OD, 24" Curved **29202** **174.95**
5" ID, 24" Curved **29207** **186.95**
5" ID, 36" Curved **29306** **260.95**
5" OD, 36" Curved **29308** **249.95**
5" OD, 48" Curved **29403** **323.95**
5" OD, 60" Curved **29503** **381.95**

FROM

174⁹⁵

ALUMINIZED STACK PIPES



4" ID, 24" Flat Top **42531** **39.95**
5" ID, 24" Flat Top **42530** **65.95**
5" ID, 60" Flat Top **46778** **133.95**

FROM

39⁹⁵

MARK V® CRANK HANDLES

FROM
13⁹⁵



Std, 9.12" XAV900..... 13.95
Long, 17" XAV9010..... 17.95

GEAR BOX REPAIR KITS

FROM
254⁹⁵



Mark V® RK11287..... 254.95
Atlas 55 RK11443..... 404.95


TOP PLATES

FROM
1488⁹⁵



FW35 XA351ALP 1488.95
FW33 Lowlube XA331ALP 2999.95

MARK V® RCF LANDING GEAR FOOT KIT




RKV024..... 145.95

HOLLAND MARK V® landing gear are available with an optional, patented removable cushion foot (RCF). A proven, innovative landing gear foot that has won the respect and recognition of our industry.

The RCF Footware option utilizes a heavy-duty rubber cushion that absorbs 50% more shock than conventional footware.

STANDARD 5-YEAR WARRANTY OR EXTENDED 10-YEAR WARRANTY



RCF Technology simply transmits the shock from the entire load in compression from steel-to-rubber-to-steel. That means reduced wear and damage to the cargo, trailer, and landing gear.

The RCF Feature allows easy removal of a damaged foot by simply extracting a single bolt. No cutting or welding is required.

EACH

145⁹⁵

MARK V® LANDING GEAR

FROM

333^{95*}

- 32,000 lb side load capacity
- Black Armour® corrosion protection

Leg, Gear Side, 26" XAS82A105B..... 517.95
Leg, Non Gear Side, 26" XAS92A105B..... 370.95
Leg, Gear Side, 28" XAS83A105B..... 531.95
Leg, Non Gear Side, 28" XAS93A105B..... 371.95
Leg, Gear Side, 28" XAS83A115B..... 467.95
Leg, Non Gear Side, 28" XAS93A115B..... 333.95
Leg, Gear Side, 29" XAS84A105B..... 535.95
Leg, Non Gear Side, 29" XAS94A105B..... 420.95
Leg, Gear Side, 30" XAS85A105B..... 540.95
Leg, Non Gear Side, 30" XAS95A105B..... 386.95

*Does not include hardware

RESERVOIR PURGE VALVE

The Haldex RPV can replace many competitive Automatic Drain Valves and other products of similar function.

1. Install or retrofit to trailer or dolly reservoirs with no, or minimal, additional changes.
2. Frame or bracket mounting. (2X 0.27" bolt holes)
3. Install on trailers and dollies - anywhere a manual drain valve is required.

Supply: (1) 3/8" - 18 NPTF
Control: (4) 3/8" - 18 NPTF
Delivery: (3) 3/8" - 18 NPTF

KN21200 128.95



Integrated Filter prevents debris from damaging the valve

EACH

128⁹⁵

2S/1M RETROFIT KIT

EACH

805⁹⁵



AQ960503

SLACK AJUSTERS

- Backed by industry's longest warranty
- Compatible with all major brand clevises
- Covers more applications than any other brand

Auto, 1.5", 28 SPL, 5.5" Arm, Trailer **40010211 125.95**
Auto, 1.5", 28 SPL, 6" Arm, Trailer **40010212 125.95**
Auto, 1.5", 10 SPL, 5.5" Arm, Trailer **40010215 125.95**
Auto, 1.5", 10 SPL, 6" Arm, Trailer **40010216 125.95**
Auto, 1.5", 28 SPL, 5.5" Arm, Std Drive **40010141 125.95**
Auto, 1.5", 10 SPL, 5.5" Arm, Std Drive **40010143 125.95**
Auto, 1.5", 10 SPL, 5.5" Arm, KW Drive **40010155 125.95**
SABA, 1.5", 28 SPL, 5.5" Arm, Trailer **40020211 130.95**
SABA, 1.5", 28 SPL, 6" Arm, Trailer **40020212 130.95**
SABA, 1.5", 10 SPL, 5.5" Arm, Trailer **40020215 130.95**
SABA, 1.5", 10 SPL, 6" Arm, Trailer **40020216 130.95**



FROM

125⁹⁵

ABS VALVES

FROM

377⁹⁵



FFABS **AL430614 580.95**
Relay **AL364040 377.95**
Relay **AL364041 377.95**

LIFESEAL+ COMBINATION SPRING BRAKE ACTUATORS

FROM

157⁹⁵

3030 w/Heavy duty housing, Std power spring, and clevis



2.5" Stroke, 10" Rod **LCP3030 157.95**
3" Stroke, 10" Rod **LCP3030L 208.95**

AIR DISC BRAKE LIFESEAL+ ACTUATOR

EACH

231⁹⁵

1824 with 8 year long-haul warranty



Std 2.5" Stroke **LCP1824D**

Keep Your Trucks Rolling with Timken® MileMate® Bearing Sets

Stronger. Value.

- Precisely matched cups and cones
- Engineered for longer life and reliability
- "NP" parts feature Timken proprietary designs
- Original equipment technology



MILEMATE® MANUALLY ADJUSTED WHEEL BEARING SETS



FROM

37⁹⁵

580/572, Rear Drive	SET401TIM	68.95
594A/592A, Rear Drive	SET403TIM	70.95
3782/3720, FF Steer	SET406TIM	37.95
HM212049, HM212011	SET413TIM	44.95
HM218248, HM218210	SET414TIM	67.95
HM518445, HM518410	SET415TIM	81.95

MILEMATE® PRE-ADJUSTED WHEEL BEARING SETS



FROM

70⁹⁵

NP899357/NP026773	SET427TIM	79.95
NP874005/NP435398	SET428TIM	70.95
NP363298/NP034946	SET429TIM	132.95
NP840302/NP053874	SET430TIM	123.95
NP965350/NP503727	SET431TIM	114.95
NP593561/NP174964	SET432TIM	157.95

FROM
169⁹⁵

SET-RIGHT® HUB REBUILD KITS

FF Steer Kit	FFTC1	169.95
R Drive Kit	RDTTC1	252.95
N Trailer Kit	TNTTC1	230.95
P Trailer Kit	TPTTC1	355.95



Engineered to help increase fuel efficiency and simplify installation, Timken Set-Right Commercial Vehicle Hub Rebuild Kits provide:

- Accurate Bearing Settings
- Consistent Bearing Setting
- Streamlined Inventory Management
- Longer Lasting Bearings



FOR ULTRAA-K UTKNT
40K SLIDE SUSPENSIONS



Patented Air Spring

- Superior ride quality and driver comfort
- Reduced overall suspension maintenance
- Uniform damping levels over the life of the air spring
- Enhanced cargo protection
- Increased trailer component life
- No moving parts
- No hydraulic fluid

Robust Down Stop

- Reduced labour and costs
- Less maintenance
- Reduced risk of roadside inspections and CSA violations



PART #	PRICE	MODEL	RIDE HEIGHTS (IN)	PISTON	
ULTRAA-K®					
S-34733*	266.95	UTKNT 40K	16	STRAIGHT COMPOSITE	
S-38000*	238.95	UTKNT 40K	16	FLARED COMPOSITE	

* Note: These air spring operate at different pressures and should NOT be mixed on the same air slider suspension system.

National® Oil Seals

One of the most
respected names
in the industry with
**60+ YEARS
OF PROVEN
PERFORMANCE.**



THE PREMIUM WHEEL-END REPAIR SOLUTION

No-compromise solutions for virtually every wheel-end repair

National oil bath seals work so well, you can just install them and forget about them.

National's premium seals are designed to maximize your uptime and keep your vehicles running, mile after mile.

OIL BATH SEALS

Steer/Trailer 380001A	45.95
Drive 380003A	59.95
Drive 380023A	77.95
Drive/Trailer 380025A	42.95
Drive/Trailer 380036A	49.95
Drive/Trailer 380065A	47.95



Gold 38 Series
Features an exclusive
PTFE compound to
withstand extreme
temperatures.

TURBO CHARGER CONNECTOR

FROM

30⁹⁵

- 4 Ply Silicone
- Ozone & Oil Splash Resistant
- Suitable for Heavy Duty Applications
- Meets and Exceeds All Performance and Physical Requirements of:
 - Mil-Spec A-A-52426
 - OEM Heavy-Duty Vehicle Requirements
- Temperature range: -54°F to +260°F (Red), -54°F to +177°F (Blue),



3 Ring, 3" ID x 6" TCS3486OE.....	30.95
3 Ring, 3 1/2" ID x 6" TCS3566OE.....	32.95
3 Ring, 4" ID x 6" TCS3646OE.....	32.95
3 Ring, 4" ID x 6", Blue TCS3BLU646OE.....	31.95
3 Ring, 4" ID, 8" TCS3648OE.....	34.95

SILICONE HEATER HOSE

FROM

2⁹⁵

PER/FOOT

- SAE J20 R3
- Single Ply Braided Reinforced
- Ozone and Oil Splash Resistant
- Colours: Blue (Black available on request - minimums apply)
- Temperature range: -65°F to +350°F



3/8" ID HHS650OE.....	2.95
1/2" ID HHS850OE.....	3.50
5/8" ID HHS1050OE.....	3.95
3/4" ID HHS1250OE.....	4.95
1" ID HHS1650OE.....	5.95

SILICONE COOLANT HOSE

FROM

48⁹⁵

- 4 Ply Silicone with Polyester Fabric Reinforcement
- Ozone & Oil Splash Resistant
- Suitable for Heavy Duty Applications
- Temperature range: -65°F to +350°F



Straight

1 1/4" x 3' CHS203OE.....	48.95
1 1/2" x 3' CHS243OE.....	50.95
2" x 3' CHS323OE.....	64.95
2 1/4" x 3' CHS363OE.....	69.95
2 3/4" x 3' CHS443OE.....	83.95
3" x 3' CHS483OE.....	89.95

Elbow

90 deg Elbow, 2.5" ID x 10" CHS904010OE.....	60.95
90 deg Elbow, 3" ID x 10" CHS904810OE.....	81.95
45 deg Elbow, 2.5" ID x 10" CHS454010OE.....	59.95



GAUGES

FROM

24⁹⁵


30 psi, 2.5" Stem Mount, Low-Temp PG30SG25LT.....	34.95
100 psi, 4" Stem Mount PG100SG4.....	81.95
100 psi, 2.5" Stem Mount, Low-Temp PG100SG25LT.....	34.95
100 psi, 2.5" Rear Mount, Low-Temp PG100CG25LT.....	34.95
160 psi, 2.5" Stem Mount, Low-Temp PG160SG25LT.....	34.95
160 psi, 2.5" Rear Mount, Low-Temp PG160CG25LT.....	34.95
160 psi, 2.5" Stem Mount, Dry PG160ZRS25.....	24.95
160 psi, 2.5" Rear Mount, Dry PG160ZRCD25.....	24.95

All Makes & Models Available to Order - Call Today

SG102 HYDRAULIC PUMP	VANE PUMP	FILTRATION
The SG102 is a mid-size dump pump with a large C series dump valve that provides a 37% faster dump cycle time compared to a traditional G series dump pump. The pump is designed to fit where space is limited, but greater flow is still a necessity.	Delivering exceptional functionality and durability, Parker's extensive line of hydraulic pumps deliver ideal performance in even the most demanding industrial and mobile applications. Parker's comprehensive line includes gear pumps, piston and vane pumps, gold cup hydrostatic transmission pumps and flow dividers and intensifiers.	Parker's hydraulic filter elements offer superior protection for engine-powered equipment, improving system fluid cleanliness levels and providing better cold start performance. Composed of cellulose, synthetic and blended media, they are suited to low-, medium- and high-pressure conditions in marine, mining, construction, agriculture, compressor and oil and gas applications.
		



All Makes! With only **21 Starters** and **5 Alternators**. Providing **Full Coverage** on virtually all 12 volt applications

NEW ALTERNATORS

- Warranty: 1 Year



12V, 160A 10124108	264.95
12V, 160 A 10124109	285.95
12V, 140A 10135114	390.95
12V, 170A 10136103	377.95


FROM

264⁹⁵

FLEET
ELITE *Engineered for the Long Journey™*

NEW STARTERS

- Warranty: 3 Years / Unlimited Miles-Kms



12V, 6 KW, INS, 11T, CW, Plgr 39 DX 20039161FE	423.95
12V, INS, 11T, CW, OCP, Plgr, 39 MT 20139121FE	407.95
12V, INS, 7.2KW 12T CW Plgr, 39 MT 20139122FE	407.95
12V, INS, 12T CW OCP Plgr, 39 MT 20139123FE	407.95

FROM

407⁹⁵

Dixie products are endurance tested to exceed 5,000 hours of operation for alternator and 28,000 cycles for starters. Combined with 100% end-of-line testing, Dixie products are guaranteed installation-ready and will provide extended service life and reduced downtime

SUPER STOP AIR DISC BRAKE CALIPERS

**SUPER STOP AIR DISC BRAKE CALIPERS
PROVIDE OEM PERFORMANCE FOR
COMMERCIAL TRUCKS & TRAILERS.**

- New Outright Caliper
- Complete with Carrier
- No Core
- OEM Manufacturer

ADB22XLT, Trailer	SSCBEN22XLTD/PS	698.95
ADB22X Axial, Truck	SSCBEN22XADS/PS	698.95
ADB22X Vertical, Truck	SSCBEN22XVDS/PS	698.95
Wabco PAN22, Trailer	SSCWABHENP22DS/PS	698.95
Knorr SK7	SSCHOLSK7DS/PS	698.95
MAXX22T, Trailer	SSCHENMAX22TDS/PS	924.95



QUALITY, CONSISTENCY AND PERFORMANCE, EVERY STOP OF THE WAY!

FROM

112⁹⁵

SET

**AIR DISC
BRAKE
PAD SET**



Knorr SK7000; Bendix ADB22X	SSP1369	118.95
Haldex DB22LT	SSP1583	112.95
Wabco PAN22	SSP1777	125.95
MAXX22T	SSP1777H	146.95

FROM

246⁹⁵

ROTORS



Knorr SK7, PACCAR front	SSR922	246.95
Knorr SK7, ADB22X	SSR920	259.95
PAN 22, Trailer	SSR941	278.95
Haldex DB22/DB22LT	SSR950	328.95

FROM

58⁹⁵*

SET

**REMAN EXCHG
BOXED SHOE
KITS** Hardware Kit included



16.5" x 7" QPlus w/ HD7100 HD Lining	XSS714707QPK	58.95
16.5" x 7" Eaton ESII w/ HD7100 HD Lining	XSS714709E2K	62.95
16.5" x 8.62" QPlus	XSS504711QPK	72.95
16.5" x 6" QPlus Shoe	XSS504715QPK	87.95

*Plus core deposit or core



COMMERCIAL BATTERIES

\$106.45*

1125 CA/925 CCA STUD/POST TYPE
GA31S/GA31A.....*128.95 W/O CORE



FORTIS BLACK

- Maintenance-free technology
- Vibration Protection
- Corrosion Resistant
- 1-Year Replacement Warranty

OR

FOR INCREASED PERFORMANCE & LONGER BATTERY LIFE, CONSIDER FORTIS **ULTRA**



COMMERCIAL STARTING BATTERIES

\$141.45*

1250 CA/1000 CCA STUD/POST TYPE
FOR31S/FOR31A*163.95 W/O CORE



FORTIS ULTRA

- Cost effective alternative to AGM battery
- Longer battery life in extreme temperatures
- High cold cranking and reserve capacity
- 2-Year Replacement Warranty

KIT MASTERS

GOLDTOP® REMANS



- Highest torque rating
- Single-speed or 2-speed
- 300,000 mile/3 yr warranty
- All makes and models available

ENGINE FANS



- Based on
BorgWarner
technology
- Most ship within 24 hours

S-HT/S REMANS



- Two bearing hub design
- Superior (Viton) o-rings
- 300,000 mile/3 yr warranty

PLEASE CALL YOUR NEAREST FGI LOCATION FOR PRICING

A/C ACCESSORIES

STAY COOL THIS SUMMER WITH *EVERCO^{HD}* A/C PARTS!



BLOWER MOTORS



COMPRESSORS



**RECEIVER DRIERS/
ACCUMULATORS**



EXPANSION VALVES

WE HAVE COVERAGE FOR CLASS 6 THROUGH 8 FOR THE MOST POPULAR APPLICATIONS

RECOVERY SYSTEMS - SPECIAL ORDER | CALL FOR PRICING

R134A A/C RECOVER/ RECYCLE/RECHARGE SYSTEM

- Color Display
- Fully Automatic Drain & Purge
- Leak Tests
- J2788 Certified

ROBINAIR



ROB34788NI

*LTL Transport Extra

RECOVERY SYSTEMS - SPECIAL ORDER | CALL FOR PRICING

R134A/R1234YF MACHINE

- Fully automatic or manual Processes
- 7" color touch-screen display
- Contains refrigerant identifier
- Wireless network printing
- Hybrid ready
- High-capacity oilless compressor
- Includes 30lb tank

**MAXXAIR
MSX**



CPSMSX3030

HEAVY DUTY O-RING KIT

One kit does it all.

- Tray #1 O-Rings
- Tray #2 O-Rings
- Tray #3 Sealing washers, valve cores, and caps
- Tray #4 Metal gaskets and orifice tube kit



910816

EACH

340⁹⁵

ENVIROCOOL R134A



Replaces R12, 30lb **R134A**

EACH

374^{95*}

*plus \$200
core charge

EACH

7⁵⁰

LEAKSTOP SEAL REPAIR



4oz aerosol

401



EACH

6⁵⁰

RED TEK® 12A



Replaces R134A & R12
6oz/18oz equiv

301



FROM

41⁹⁵

RED TEK® 12A RECHARGE KIT



w/o gauge **313... 41.95***
w/ gauge **333... 53.95**



*Discontinued, while quantities last